

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/685,616	10/14/2003	Steven I. Carlson	AWS862.US; CING-127	5092
6567 759 08/18/2009 AT&T Legal Department - Moazzam Attı: Patent Docketing Room 2A-207 One AT&T Way			EXAMINER	
			MEHRPOUR, NAGHMEH	
			ART UNIT	PAPER NUMBER
Bedminster, NJ 07921			2617	
			MAIL DATE	DELIVERY MODE
			05/18/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

#### Application No. Applicant(s) 10/685,616 CARLSON, STEVEN I. Office Action Summary Examiner Art Unit MELODY MEHRPOUR 2617 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS,

- WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

  Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed

Pape	mation Disclosure Statement(s) (PTO/S5/08 er No(s)/Mail Date redement Office		Other:
Z/ LI NOU		5)	Paper No(s)/Mail Date Notice of Informal Fatent Application.
	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review	(PTO 948)	Interview Summary (PTO-413) Paper No(s)Mail Date.
Attachmen	it(s)		
* 5	See the attached detailed Office act	*	,
	application from the Internat		=
		•	nave been received in this National Stage
	Certified copies of the priorit     Certified copies of the priorit	•	
а)	□ All b) Some c) None or.  1. Certified copies of the priorit	v documents have been rec	caived
	Acknowledgment is made of a clair  All b) Some * c) None of:	n for foreign priority under 3	5 U.S.C. § 119(a)-(d) or (f).
-			
Driority I	under 35 U.S.C. § 119		
11)		-	e attached Office Action or form PTO-152.
		• . ,	he drawing(s) is objected to. See 37 CFR 1.121(d).
10)	Applicant may not request that any ob		-
	The specification is objected to by t The drawing(s) filed on is/an		hineted to by the Evaminer
	•	h. F	
Annlicat	ion Papers		
8)□	Claim(s) are subject to restr	iction and/or election requir	ement.
7)	Claim(s) is/are objected to.		
	Claim(s) 1.4-6.9-11 and 14-20 is/a	re rejected.	
	Claim(s) is/are allowed.		
	4a) Of the above claim(s) is		
	Claim(s) 1,4-6,9-11 and 14-20 is/a	re pending in the application	
Disposit	ion of Claims		
	closed in accordance with the pract	tice under Ex parte Quayle	, 1935 C.D. 11, 453 O.G. 213.
3)	Since this application is in conditio	n for allowance except for fo	ormal matters, prosecution as to the merits is
2a)⊠	This action is FINAL.	2b) This action is non-fi	nal.
1)🛛	Responsive to communication(s) fi	led on 09 March 2009.	
Status			

Art Unit: 2617

#### DETAILED ACTION

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1, 4, 6, 9, and 16-20, are rejected under 35 U.S.C. 102(b) as being anticipated by Contractor et al. (U.S. Patent Publication No. 2002/0085687) in view of saha et al. (US Patent 6,198,935).

Referring to claims 1, 6, Contractor et al. discloses a method comprising: obtaining location information for a caller from **Gateway Mobile Location Center** during establishment of a call to a called party (0009);

providing the location information to an intelligent peripheral (0028), forming a connection between the called party and an intelligent peripheral (IP); the IP announcing the voice information over the connection between the called party and the IP (0028; converts alphanumerical textual data to speech and announces converted information retrieved from SCP to subscriber station);

converting the location information to voice information at the intelligent peripheral (0009, 0028); and

Art Unit: 2617

connecting the intelligent peripheral to the called party through a voice connection (0028); the IP announcing the voice information over the connection between the called party and the IP (0028; converts alphanumerical textual data to speech and announces converted information retrieved from SCP to subscriber station); and

announcing the voice information from the intelligent peripheral to the called party (0009, 0028); when the called party answers the telephone, the service provides an audible announcement containing information regarding the calling party such as the calling party's name, city and state); and forming a connection between the called party and the calling party (0009, 0028); if the called party accepts the call, the parties are connected). Contractor et al. teaches providing the location information to an intelligent peripheral (IP) and the IP converting the location information to the voice information (0028), but does not teach obtaining the location information from a Gateway Mobile Location Center (GMLC), However, Saha et al. teaches obtaining the location information from a Gateway Mobile Location Center (GMLC) (Figure 2). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Contractor et al. with the teaching of Saha et al. of obtaining the location information from a Gateway Mobile Location Center (GMLC) to provide an efficient method of determining the location of a mobile station (Column 2. Lines 39-40).

Referring to claim 4, Contractor et al. further discloses obtaining name information for the caller; converting the location information and the name information to the voice

Art Unit: 2617

information; and announcing the voice information to the called party (0009 information includes name, city and state and 0028).

Referring to claim 7, Contractor et al. teaches providing the location information to an intelligent peripheral (IP) and the IP converting the location information to the voice information (0028), but does not teach obtaining the location information from a Gateway Mobile Location Center (GMLC). Saha et al. teaches obtaining the location information from a Gateway Mobile Location Center (GMLC) (Figure 2). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Saha with Contractor et al. for obtaining the location information from a Gateway Mobile Location Center (GMLC) to provide an efficient method of determining the location of a mobile station (Column 2, Lines 39-40).

Referring to claim 9, Cantractor further discloses obtaining name information for the called party, and converting the location information and the name information to the voice information; and announcing the voice information to the calling party. Contractor et al teaches converting the location information and the name information to the voice information; and announcing the voice information to the calling party (0009 information includes name, city and state and 0028).

Art Unit: 2617

Referring to claim 16, Contractor et al. discloses a network element (0037; SCP) comprising; a processor (0014 & 0025); at least one port (Figure 1.158 & 160); and logic that, when applied to the processor, results in converting location information for a calling wireless device (0006) to a voice announcement (0009; information regarding the calling party such as name, state and city & 0028; converts textual data to speech & 0037 SCP instructs SSP to route the call to SN), and interacting via the at least one port with a switch to provide the announcement to at least one called wireless device (0037 SCP instructs SSP to route the call to SN, 0038; called number is a wireless number & 0028; SN announces converted information retrieved from SCP to subscriber station) during the establishment of a call between the calling wireless device (0006) and the called wireless device (0035-0037; places a call to a subscribing station), wherein the location information is provided from an network element, and announcement to the at least one called wireless device is made through a voice connection between the network element and the calling wireless device (0028; announce converted information retrieved from S CP to subscriber station and 0038; called number is a wireless number).

Contractor et al. teaches providing the location information to an intelligent peripheral (IP) and the IP converting the location information to the voice information (0028), but does not teach obtaining the location information from a Gateway Mobile Location Center (GMLC). However. Saha et al. teaches obtaining the location information from a Gateway Mobile Location Center (GMLC) (Figure 2). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to

Art Unit: 2617

combine the teaching of Contractor et al. with the teaching of Saha et al. of obtaining the location information from a Gateway Mobile Location Center (GMLC) to provide an efficient method of determining the location of a mobile station (Column 2, Lines 39-40).

Referring to claim 17, Contractor et al. further discloses logic that, when applied to the processor, results in converting name and location information for a wireless device to a voice announcement (0009).

Referring to claims 18, 20, Contractor et al. discloses a network element (0037; SCP) comprising: a processor (0014 & 0025); at least one port (Figure 1,158 & 160); and logic that, when applied to the processor, results in the network element becoming involved in the establishment of a call (0037; SCP instructs SSP to route the call to SN), and results in obtaining via the at least one port name information for a called party from a network element that provides a name service (0037; information is retrieved from a database stored on or associated with SCP and 0009; information consisting of calling party's name, state and city), and providing via the at least one port the name information to a network element (0028; SN) that creates a voice announcement of the name information and the called party's location (0028; converts textual data to speech) and delivers the voice announcement to a calling wireless device over a voice connection between the network element and the calling wireless device (0028; announce converted information retrieved from S CP to subscriber station and 0038;

Art Unit: 2617

called number is a wireless number). Contractor et al. teaches providing the location information to an intelligent peripheral (IP) and the IP converting the location information to the voice information (0028), but does not teach obtaining the location information from a Gateway Mobile Location Center (GMLC). However. Saha et al. teaches obtaining the location information from a Gateway Mobile Location Center (GMLC) (Figure 2). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Contractor et al. with the teaching of Saha et al. of obtaining the location information from a Gateway Mobile Location Center (GMLC) to provide an efficient method of determining the location of a mobile station (Column 2, Lines 39-40).

Referring to claim 19, Contractor et al. further discloses logic that, when applied to the processor, results in obtaining via the at least one port name information for the caller from a network element that provides a name service (0006, 0009 and Figure 1, 160), and providing via the at least one port the name information to a network element (0028; SN) that creates a voice announcement of the name information and the caller's location to a called wireless device (0028; converts textual data to speech).

 Claim 5 is rejected under 35 USC 103(a) as being unpatentable over Contractor et al. and Saha in view of Park (U.S. Patent No. 6.434.126).

Art Unit: 2617

Referring to claim 5, Contractor et al. teaches the limitations of claim 5, but does not teach obtaining the name information using Calling Name Address Presentation (CNAP). Park teaches obtaining the name information using Calling Name Address Presentation (CNAP) (Column 1, Lines 32-38). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Contractor et al. modified by Saha with the teaching of Park of obtaining the name information using Calling Name Address Presentation (CNAP) to provide identification without having to view the display (Column 1, Lines 40-46).

 Claim 10 is rejected under 35 USC 103(a) as being unpatentable over Contractor et al. and Saha in view of Park (U.S. Patent No. 6,434,126).

Referring to claim 10, Contractor modified by Saha et al. teaches the limitations of claim 10, but does not teach obtaining the name information using Calling Name Address Presentation (CNAP). Park teaches obtaining the name information using Calling Name Address Presentation (CNAP) (Column 1, Lines 32-38). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Contractor et al. modified by Saha with the teaching of Park of obtaining the name information using Calling Name Address Presentation

Art Unit: 2617

(CNAP) to provide identification without having to view the display (Column 1, Lines 40-46).

 Claims 11, 14 and 15 are rejected under 35 USC 103(a) as being unpatentable over Benco et al. (U.S. Patent No. 6,839,022) in view of Contractor et al. Modified by Saha

Referring to claim 11, Benco et al. discloses a network comprising: a switch (Figure 4, 414); a network element to track the locations of wireless devices that interact with the network (Figure 4, 422); and

at least one Intelligent Peripheral (IP) coupled to a Mobile Service Center to convert location information for a wireless device obtained from a network element to track locations (Figure 4, 430 and Column 4, Lines 8-13), and to interact with the switch to provide the converted location to at least one called wireless device **over a voice connection** (Column 4, Lines 8-13 and Column 9, Lines 58-59); and at least one network element to establish a call between the calling wireless device and the called wireless device (Column 9, Lines 59-63), but does not teach converting the location information into a voice announcement. Contractor et al. teaches converting the location information into a voice announcement (0009 and 0028). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Benco et al. with the teaching of Contractor et al. of converting

Art Unit: 2617

the location information into a voice announcement to provide an improved audio Caller ID system (0008). Contractor et al. teaches providing the location information to an intelligent peripheral (IP) and the IP converting the location information to the voice information (0028), but does not teach obtaining the location information from a Gateway Mobile Location Center (GMLC). However. Saha et al. teaches obtaining the location information from a Gateway Mobile Location Center (GMLC) (Figure 2). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Contractor et al. with the teaching of Saha et al. of obtaining the location information from a Gateway Mobile Location Center (GMLC) to provide an efficient method of determining the location of a mobile station (Column 2, Lines 39-40).

Referring to claim 14, Contractor et al. further teaches at least one network element to obtain name information for the caller; converting the location information and the name information to the voice information; and announcing the voice information to the called party (0009 information includes name, city and state and 0028). Therefore, at the time the invention was made, it would have been obvious to one of ordinary skill in the art to combine the teaching of Benco et al. with the teaching of Contractor et al. modified by Saha of at least one network element to obtain name information for the caller; converting the location information and the name information to the voice information; and announcing the voice information to the called party to provide an improved audio Caller ID system (0008).

Art Unit: 2617

Referring to claim 15, Benco et al. further teaches the at least one network element to obtain name information further comprising: a Line Information Database (Figure 2, 234 and Column 9, Lines 57-58). Contractor et al. also teaches obtaining name information from a Line Information Database (0031 and 0037).

## Response to Arguments

 Applicant's arguments with respect to claims 1, 4-6, 9-11, 14-20 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/685,616
Art Unit: 2617

## 7. Any responses to this action should be mailed to:

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MELODY MEHRPOUR whose telephone number is 5(571)272-791313. The examiner can normally be reached on 8:00 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dwayne Bost can be reached (571) 272-7023.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Naghmeh Mehrpour/

Primary Examiner, Art Unit 2617

May 12, 2009